Author Index of Volume 18

Bastidas, J. M.,
Study of the electrochemical noise generated by the mild steel/zinc-rich paint/NaCl solution system, 265

Blum, R.,
One-component polyurethane systems by deactivation of dispersed solid isocyanates, 275

Carciello, N.,
Polytitanosiloxane coatings derived from $Ti(OC_2H_5)_4$-modified organosilane precursors, 173

Chromy, L.,
Non-toxic anticorrosive pigments, 319

del Amo, B.,
High-build soluble matrix antifouling paints testing on raft and ship's bottom, 389

de Wit, J. H. W.,
An impedance spectroscopy study of the degradation mechanism for a model epoxy coating on mild steel, 299

Dražić, D. M.,
The effect of resin concentration and electrodeposition bath temperature on the corrosion behaviour of polymer-coated steel, 253

Dukhin, A. S.,
Electrodiffusiophoresis — film formation in AC and DC electrical fields and its application for bactericidal coatings, 1

Feliu, S.,
see Bastidas

Feliu, S., Jr.,
see Bastidas

Fouassier, J.-P.,
Polymerization photoinitiators: excited state processes and kinetic aspects, 229

Geenen, F. M.,
see de Wit

Giúdice, C.,
see del Amo

Kamińska, E.,
see Chromy

Karyakina, M. I.,
Protection by organic coatings: criteria, testing methods and modelling, 325

Kukacka, L. E.,
see Carciello

Kuzmak, A. E.,
see Karyakina

Mišović-Stanković, V. B.,
see Dražić

Morcillo, M.,
see Bastidas

Elsevier Sequoia/Printed in The Netherlands

Pacansky, J.,
Low surface energy coatings on substrates prepared via radiation curing, 79

Quadrat, O.,
Structure and flow properties of latices containing carboxylic groups, 207

Ramasri, M.,
Water-soluble epoxy binders modified with boron ester for cathodic electrodeposition, 103

Rascio, V.,
see del Amo

Reinhard, G.,
Formulation of water-borne dispersions for corrosion-protective primers, 123

Sabata, A.,
Corrosion of primed and fully painted precoated automotive steels in atmospheric and scab tests, 147

Sampathkumaran, P. S.,
see Ramasri

Schupp, H.,
see Blum

Shirsalkar, M. M.,
see Ramasri

Skrovanek, D. J.,
The assessment of cure by dynammic mechanical thermal analysis, 89

Šňupárek, J., Jr.,
see Quadrat

Srinivasa Rao, G. S.,
see Ramasri

Ström, G.,
see Sabata

Sugama, T.,
see Carciello

Ulberg, Z. R.,
see Dukhin

van Ooij, W. J.,
see Sabata

van Westing, E. P. M.,
see de Wit

Verkholantsev, V. V.,
Coatings based on polymer–polymer composites, 43

Volz, H. G.,
Comments on the development of tinting strength and ease of dispersion, 289

Waltman, R. J.,
see Pacansky